```
-----Use Case 1-----
cepAdm.createEPL("
       + "create context incrementByChannel
       + " context CountEventByChannel "
           partition by userChannel "
           from CountByChannelEvent, "
       + " context counting
           initiated by CountByChannelEvent as ce "
           terminated by UserEvent(userChannel = ce.userChannel) "
      );
EPStatement incrementByOneStatement =
cepAdm.createEPL("
       + "insert into CountByChannelEvent "
       + "select (ce.userCount+1) as userCount, ce.userChannel as userChannel,
ue.timeStamp as timeStamp "
       + "from CountByChannelEvent.win:keepall() as ce,
UserEvent(userAction='<vistaTV:join>').win:length(1) as ue where ce.userChannel =
ue.userChannel output last when terminated ");
EPStatement initChanneltatement =
cepAdm.createEPL("
       + "insert into CountByChannelEvent "
       + "select 1L as userCount, ue.userChannel as userChannel, ue.timeStamp as
timeStamp "
      + "from UserEvent(userAction='<vistaTV:join>').win:length(1) as ue "
      + "Where not exists "
      + "( "
       + "select * "
       + "from CountByChannelEvent.win:keepall() as ce where ce.userChannel =
ue.userChannel "
       +")"
      );
EPStatement decrementByOneStatement =
      cepAdm.createEPL("
       + "context incrementByChannel"
       + "insert into CountByChannelEvent "
       + "select (ce.userCount-1) as userCount, ce.userChannel as userChannel,
ue.timeStamp as timeStamp "
       + "from CountByChannelEvent.win:keepall() as ce,
UserEvent(userAction='<vistaTV:quit>').win:length(1) as ue where ce.userChannel =
ue.userChannel output last when terminated ");
```